



Nanostructured Antimicrobial Coatings via Polyurethanes having Co-Polyoxetane Soft Blocks.*

Kenneth J. Wynne
Professor, Chemical and Life Science Engineering
Virginia Commonwealth University
Richmond, VA 23112
kjwynne@vcu.edu

Polyoxetanes are polyethers or formally 2,2'-substituted-1,3-propylene oxides. Co-polyoxetane telechelics **1** may be represented as P(**AB**), where **A** and **B** are repeat units with differing side chains. These telechelics are incorporated into polyurethanes and used as polymer surface modifiers (Figure 1). As an example, polyurethanes were prepared with P(**AB**) soft blocks where **A** = a fluororous "chaperone" or PEG-like side chain and **B** = alkylammonium side chains. At 2 wt % in a conventional polyurethane, two of the surface modifiers effect 100% kill of a 10^7 CFU/ml aerosol challenge of Gram +/- pathogenic bacteria in 30 min. The effectiveness of the new modifiers is due in part to surface nano-topology and spatial distribution of alkylammonium groups mimicking naturally occurring biocidal peptides such as the magainins and cecropins. Recent results concerning disinfection kinetics and ionic exchange will be presented.



* The author thanks the National Science Foundation, Division of Materials Research for support of this research.