

EASTERN MICHIGAN UNIVERSITY

WEEKLY EYEWASH ACTIVATION LOG

All eyewashes must be activated on a weekly basis.

Flush for 2-3 minutes to eliminate bacteria and other contaminants.

If eyewash is not functioning properly, submit a work order request through Physical Plants website,
www.emich.edu/physplant/request/workorder.php

Department:

Building:

Room:

Date (M/D/YY)	Functioning (Yes)	Functioning (No)	Activated By (Initials)	Date (M/D/YY)	Functioning (Yes)	Functioning (No)	Activated By (Initials)
Wk 1				Wk 1			
Wk 2				Wk 2			
Wk 3				Wk 3			
Wk 4				Wk 4			
Wk 1				Wk 1			
Wk 2				Wk 2			
Wk 3				Wk 3			
Wk 4				Wk 4			
Wk 1				Wk 1			
Wk 2				Wk 2			
Wk 3				Wk 3			
Wk 4				Wk 4			
Wk 1				Wk 1			
Wk 2				Wk 2			
Wk 3				Wk 3			
Wk 4				Wk 4			
Wk 1				Wk 1			
Wk 2				Wk 2			
Wk 3				Wk 3			
Wk 4				Wk 4			
Wk 1				Wk 1			
Wk 2				Wk 2			
Wk 3				Wk 3			
Wk 4				Wk 4			
Wk 1				Wk 1			
Wk 2				Wk 2			
Wk 3				Wk 3			
Wk 4				Wk 4			